

# Product datasheet

Specifications



## Extension collar – 1 gang – 10 mm moulded CEC110W

EAN Code: 5061089314407

### Main

Product name:	Cableline Extension Collar
Colour tint	White
Quantity per set	Set of 10

### Complementary

Suitable	Cableline 50, Cableline 40, Ultimate 62, Ultimate 60, Cableline Solo, Cableline Duo
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.100 cm
Package 1 Width	8.600 cm
Package 1 Length	8.600 cm
Package 1 Weight	21.000 g
Unit Type of Package 2	BOX
Number of Units in Package 2	10
Package 2 Height	10.800 cm
Package 2 Width	19.300 cm
Package 2 Length	22.500 cm
Package 2 Weight	216.000 g

### Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Product datasheet

Specifications



## Extension collar – 1 gang – 19 mm moulded CEC119W

EAN Code: 5061089314414

### Main

Product name:	Cableline Extension Collar
Colour tint	White
Quantity per set	Set of 10

### Complementary

Suitable	Cableline 50, Cableline 40, Ultimate 62, Ultimate 60, Cableline Solo, Cableline Duo
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.900 cm
Package 1 Width	8.600 cm
Package 1 Length	8.600 cm
Package 1 Weight	30.000 g
Unit Type of Package 2	BOX
Number of Units in Package 2	10
Package 2 Height	10.800 cm
Package 2 Width	19.300 cm
Package 2 Length	22.500 cm
Package 2 Weight	355.000g

### Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Product datasheet

Specifications



Extension collar – 2 gang – 10 mm  
moulded  
**CEC210W**

EAN Code: 5061089314421

## Main

Product name:	Cableline Extension Collar
Colour tint	White
Quantity per set	Set of 10

## Complementary

Suitable	Cableline 50, Cableline 40, Ultimate 62, Ultimate 60, Cableline Solo, Cableline Duo
material with surface finish	UPVC (unplasticized polyvinyl chloride)

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.100 cm
Package 1 Width	8.700 cm
Package 1 Length	13.000 cm
Package 1 Weight	42.000 g
Unit Type of Package 2	BOX
Number of Units in Package 2	10
Package 2 Height	10.800 cm
Package 2 Width	19.300 cm
Package 2 Length	23.500 cm
Package 2 Weight	420.000 g

## Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Product datasheet

Specifications



Extension collar – 2 gang – 19 mm

CEC219W

EAN Code: 5061089314438

## Main

Product name	Extension collar for 2 gang wiring accessory
Compatible with	Cableline 50, Cableline 40, Ultimate 60 & Ultimate 62
Colour tint	White
Quantity per set	Set of 10

## Complementary

Product destination	Socket mounting box – 2 gang
Fixing mode	Screw fixed for added security
Material	uPVC
Depth	19 mm

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.830 cm
Package 1 Width	7.830 cm
Package 1 Length	7.830 cm
Package 1 Weight	44.000 g
Unit Type of Package 2	BOX
Number of Units in Package 2	10
Package 2 Height	11.000 cm
Package 2 Width	19.000 cm
Package 2 Length	23.0000 cm
Package 2 Weight	438.000 g

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



Perimeter to mini trunking –  
16 mm x 16 mm - adaptor

**CLA31W**

EAN Code: 5061089314674

## Main

**Product name** Perimeter – Mini Trunking

**Product or component type** Adaptor

**Colour tint** White

**Quantity per set** Set of 5

## Complementary

**Compatible with** Cableline 50, Cableline 40, Ultimate 60, Ultimate 62, Cableline Solo & Cableline Duo

**Fixing mode** Self adhesive

**Material** uPVC

**Mini trunking size** 16 mm x 16 mm

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 1.8000 cm

**Package 1 Width** 1.8000 cm

**Package 1 Length** 3.200 cm

**Package 1 Weight** 1.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 50

**Package 2 Height** 15.000 cm

**Package 2 Width** 30.000 cm

**Package 2 Length** 40.000 cm

**Package 2 Weight** 700.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Perimeter to mini trunking –  
25 mm x 16 mm - adaptor

**CLA32W**

EAN Code: 5061089314681

## Main

**Product name** Perimeter – Mini Trunking

**Product or component type** Adaptor

**Colour tint** White

**Quantity per set** Set of 5

## Complementary

**Compatible with** Cableline 50, Cableline 40, Ultimate 60, Ultimate 62, Cableline Solo & Cableline Duo

**Fixing mode** Self adhesive

**Material** uPVC

**Mini trunking size** 25 mm x 16 mm

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 1.8000 cm

**Package 1 Width** 2.0000 cm

**Package 1 Length** 5.000 cm

**Package 1 Weight** 4.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 5

**Package 2 Height** 2.000 cm

**Package 2 Width** 5.000 cm

**Package 2 Length** 8.000 cm

**Package 2 Weight** 22.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



## mounting box - 1 gang - 25 mm CLB31W

EAN Code: 5061089314230

### Main

Range of product	Cutterwell
Product name	Ultimate 60 Ultimate 62 Cableline 40 Cableline 50
Product or component type	Mounting box
Colour tint	White
Quantity per set	Set of 10

### Complementary

Trunking dimension	150 x 60 mm 180W x 52 mm 145W x 40 mm 180 x 52 mm 180V x 52 mm 145V x 40 mm 145 x 40 mm 190 x 62 mm
Number of gangs	1 gang
Mounting support	Trunking
Device mounting	Flush
Material	UPVC (unplasticized polyvinyl chloride)
Depth	25 mm

### Environment

Standards	EN 50085-1: 2005 EN 50085-2-1
Ambient air temperature for operation	-5...60 °C

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.6 cm
Package 1 Width	8.7 cm
Package 1 Length	8.0 cm
Package 1 Weight	35.0 g

### Contractual warranty

Warranty	18 months
----------	-----------

# Product datasheet

Specifications



## mounting box - 2 gang - 25 mm CLB32W

EAN Code: 5061089314247

### Main

Range of product	Cutterwell
Product name	Cableline 50 Ultimate 60 Cableline 40 Ultimate 62
Product or component type	Mounting box
Colour tint	White
Quantity per set	Set of 10

### Complementary

Trunking dimension	145V x 40 mm 145 x 40 mm 180V x 52 mm 150 x 60 mm 180W x 52 mm 145W x 40 mm 180 x 52 mm 190 x 62 mm
Number of gangs	2 gangs
Mounting support	Trunking
Device mounting	Flush
Material	UPVC (unplasticized polyvinyl chloride)
Depth	25 mm

### Environment

Standards	EN 50085-1: 2005 EN 50085-2-1
Ambient air temperature for operation	-5...60 °C

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.600 cm
Package 1 Width	8.700 cm
Package 1 Length	14.200 cm
Package 1 Weight	52.000 g

<b>Unit Type of Package 2</b>	CAR
<b>Number of Units in Package 2</b>	10
<b>Package 2 Height</b>	18.000 cm
<b>Package 2 Width</b>	23.500 cm
<b>Package 2 Length</b>	18.000 cm
<b>Package 2 Weight</b>	624.000 g
<b>Unit Type of Package 3</b>	PAM
<b>Number of Units in Package 3</b>	1200
<b>Package 3 Height</b>	106.500 cm
<b>Package 3 Width</b>	120.000 cm
<b>Package 3 Length</b>	100.000 cm
<b>Package 3 Weight</b>	94.880 kg

## Contractual warranty

<b>Warranty</b>	12 months
-----------------	-----------

# Product datasheet

Specifications



## Mounting box – 1 gang – 35 mm deep

### CLB41W

EAN Code: 5061089314254

## Main

**Product name** Perimeter Trunking

**Product or component type** Mounting box

**Colour tint** White

**Quantity per set** Set of 10

## Complementary

**Depth** 35 mm

**Product compatibility** Cableline 50, Ultimate 60 & Ultimate 62

**Material** uPVC

**No. gangs** 1 gang

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 3.600 cm

**Package 1 Width** 8.7000 cm

**Package 1 Length** 8.000 cm

**Package 1 Weight** 45.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 11.000 cm

**Package 2 Width** 19.000 cm

**Package 2 Length** 23.000 cm

**Package 2 Weight** 480.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



## Mounting box – 2 gang – 35 mm deep

### CLB42W

EAN Code: 5061089314261

## Main

**Product name** Perimeter Trunking

**Product or component type** Mounting box

**Colour tint** White

**Quantity per set** Set of 10

## Complementary

**Depth** 35 mm

**Product compatibility** Cableline 50, Ultimate 60 & Ultimate 62

**Material** uPVC

**No. gangs** 2 gang

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 3.600 cm

**Package 1 Width** 8.7000 cm

**Package 1 Length** 14.200 cm

**Package 1 Weight** 76.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 18.500 cm

**Package 2 Width** 19.000 cm

**Package 2 Length** 23.000 cm

**Package 2 Weight** 766.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Mounting box – 1 gang – 50 mm deep

**CLB51W**

EAN Code: 5061089314278

## Main

**Product name** Perimeter Trunking

**Product or component type** Mounting box

**Colour tint** White

**Quantity per set** Set of 10

## Complementary

**Depth** 50 mm

**Product compatibility** Ultimate 60 & Ultimate 62

**Material** uPVC

**No. gangs** 1 gang

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 8.600 cm

**Package 1 Width** 5.4000 cm

**Package 1 Length** 8.300 cm

**Package 1 Weight** 66.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 18.500 cm

**Package 2 Width** 19.000 cm

**Package 2 Length** 23.000 cm

**Package 2 Weight** 766.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



## Mounting box – 2 gang – 50 mm deep

### CLB52W

EAN Code: 5061089314285

## Main

**Product name** Perimeter Trunking

**Product or component type** Mounting box

**Colour tint** White

**Quantity per set** Set of 10

## Complementary

**Depth** 50 mm

**Product compatibility** Ultimate 60 & Ultimate 62

**Material** uPVC

**No. gangs** 2 gang

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 5.200 cm

**Package 1 Width** 8.6000 cm

**Package 1 Length** 14.200 cm

**Package 1 Weight** 98.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 16.700 cm

**Package 2 Width** 30.500 cm

**Package 2 Length** 24.000 cm

**Package 2 Weight** 1.147 kg

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Vertical mounting box – 1 gang –  
25 mm deep

**CLB314W**

EAN Code: 5061089314346

## Main

**Product name** Perimeter Trunking

**Product or component type** Mounting box

**Colour tint** White

**Quantity per set** Set of 10

## Complementary

**Depth** 25 mm

**Product compatibility** Cableline 40, Cableline 50, Ultimate 60 & Ultimate 62

**Material** uPVC

**No. gangs** 1 gang

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 3.000 cm

**Package 1 Width** 8.5000 cm

**Package 1 Length** 9.000 cm

**Package 1 Weight** 39.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 11.000 cm

**Package 2 Width** 19.000 cm

**Package 2 Length** 23.000 cm

**Package 2 Weight** 474.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Screened mounting box – 1 gang –  
25 mm deep

CLBS1W

EAN Code: 5061089314698

## Main

**Product name** Cableline 50, Cableline 40, Cableline Solo, Ultimate 60 & Ultimate 62

**Product type** Screened mounting box

**Colour tint** White

**Quantity per set** Set of 10

## Complementary

**No. Gangs** 1

**Device mounting** Flush

**Material** uPVC

**Depth** 25 mm

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 2.600 cm

**Package 1 Width** 8.700 cm

**Package 1 Length** 8.000 cm

**Package 1 Weight** 35.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 11.000 cm

**Package 2 Width** 19.500 cm

**Package 2 Length** 22.500 cm

**Package 2 Weight** 305.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Screened mounting box – 2 gang –  
25 mm deep

CLBS2W

EAN Code: 5061089314704

## Main

Product name	Cableline 50, Cableline 40, Cableline Solo, Ultimate 60 & Ultimate 62
Product type	Screened mounting box
Colour tint	White
Quantity per set	Set of 10

## Complementary

No. Gangs	2
Device mounting	Flush
Material	uPVC
Depth	25 mm

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.180 cm
Package 1 Width	9.180 cm
Package 1 Length	9.180 cm
Package 1 Weight	65.000 g
Unit Type of Package 2	BOX
Number of Units in Package 2	10
Package 2 Height	18.000 cm
Package 2 Width	18.000 cm
Package 2 Length	24.000 cm
Package 2 Weight	650.000 g

## Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Screened mounting box – 1 gang –  
35 mm deep

CLBS3W

EAN Code: 5061089314711

## Main

**Product name** Cableline 50, Cableline Solo, Ultimate 60 & Ultimate 62

**Product type** Screened mounting box

**Colour tint** White

**Quantity per set** Set of 10

## Complementary

**No. Gangs** 1

**Device mounting** Flush

**Material** uPVC

**Depth** 35 mm

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 3.600 cm

**Package 1 Width** 8.700 cm

**Package 1 Length** 8.000 cm

**Package 1 Weight** 45.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 11.000 cm

**Package 2 Width** 19.500 cm

**Package 2 Length** 22.500 cm

**Package 2 Weight** 455.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Screened mounting box – 2 gang –  
35 mm deep

CLBS4W

EAN Code: 5061089314711

## Main

**Product name** Cableline 50, Cableline Solo, Ultimate 60 & Ultimate 62

**Product type** Screened mounting box

**Colour tint** White

**Quantity per set** Set of 10

## Complementary

**No. Gangs** 2

**Device mounting** Flush

**Material** uPVC

**Depth** 35 mm

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 9.180 cm

**Package 1 Width** 9.180 cm

**Package 1 Length** 9.180 cm

**Package 1 Weight** 79.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 18.000 cm

**Package 2 Width** 18.000 cm

**Package 2 Length** 24.000 cm

**Package 2 Weight** 790.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Screened mounting box – 1 gang –  
50 mm deep

CLBS5W

EAN Code: 5061089314711

## Main

Product name Ultimate 60 & Ultimate 62

Product type Screened mounting box

Colour tint White

Quantity per set Set of 10

## Complementary

No. Gangs 1

Device mounting Flush

Material uPVC

Depth 50 mm

## Environment

Ambient air temperature for operation -5...60 °C

## Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 5.600 cm

Package 1 Width 8.700 cm

Package 1 Length 8.000 cm

Package 1 Weight 65.000 g

Unit Type of Package 2 BOX

Number of Units in Package 2 10

Package 2 Height 11.000 cm

Package 2 Width 19.500 cm

Package 2 Length 22.500 cm

Package 2 Weight 655.000 g

## Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Centre lid – DDA compliant – grey –  
3 m

**CLL3G**

EAN Code: 5061089310065

## Main

**Product name** Perimeter Trunking

**Product or component type** Centre lid

**Colour tint** Grey

**Quantity per set** Set of 2 x 3 m

## Complementary

**Width** 87 mm

**Product compatibility** Cableline 40, Cableline 50, Consort Delta, Consort Dado, Ultimate 60 & Ultimate 62

**Material** uPVC

**Fixing mode** Snap Fit Clips

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 1.200 cm

**Package 1 Width** 8.8000 cm

**Package 1 Length** 300.000 cm

**Package 1 Weight** 330.000 g

**Unit Type of Package 2** POLYBAG

**Number of Units in Package 2** 2 x 3 m

**Package 2 Height** 2.400 cm

**Package 2 Width** 8.8000 cm

**Package 2 Length** 300.000 cm

**Package 2 Weight** 990.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Centre lid – white – 3 m

CLL3W

EAN Code: 5061089310072

## Main

**Product name** Perimeter Trunking

**Product or component type** Centre lid

**Colour tint** White

**Quantity per set** Set of 2 x 3 m

## Complementary

**Width** 87 mm

**Product compatibility** Cableline 40, Cableline 50, Consort Delta, Consort Dado, Ultimate 60 & Ultimate 62

**Material** uPVC

**Fixing mode** Snap Fit Clips

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 1.200 cm

**Package 1 Width** 8.8000 cm

**Package 1 Length** 300.000 cm

**Package 1 Weight** 330.000 g

**Unit Type of Package 2** POLYBAG

**Number of Units in Package 2** 2 x 3 m

**Package 2 Height** 2.400 cm

**Package 2 Width** 8.8000 cm

**Package 2 Length** 300.000 cm

**Package 2 Weight** 990.000 g

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Plate – DDA compliant – blue – 1 gang

DDA1BL

EAN Code: 5061089313301

## Main

Product name	Ultimate 62, Ultimate 60, Consort Dado, Consort Delta 105, Cableline 50 & Cableline 40
Product type	DDA compliant plate
Colour tint	Blue – RAL5017
Quantity per set	Set of 10

## Complementary

Fixing mode	Clip on
Trunking Dimensions	125 mm x 80 mm
Material	uPVC
Number of gangs	1 gang

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	10.000 cm
Package 1 Length	13.000 cm
Package 1 Weight	162.000 g
Unit Type of Package 2	CARTON
Number of Units in Package 2	1000
Package 2 Height	39.000 cm
Package 2 Width	51.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	17.370 kg

## Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Plate – DDA compliant – charcoal –  
1 gang

DDA1CH

EAN Code: 5061089313295

## Main

Product name	Ultimate 62, Ultimate 60, Consort Dado, Consort Delta 105, Cableline 50 & Cableline 40
Product type	DDA compliant plate
Colour tint	Charcoal Grey – BS 10-A-11
Quantity per set	Set of 10

## Complementary

Fixing mode	Clip on
Trunking Dimensions	125 mm x 80 mm
Material	uPVC
Number of gangs	1 gang

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	10.000 cm
Package 1 Length	13.000 cm
Package 1 Weight	162.000 g
Unit Type of Package 2	CARTON
Number of Units in Package 2	1000
Package 2 Height	39.000 cm
Package 2 Width	51.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	17.370 kg

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



Plate – DDA compliant – blue –  
2 gang

DDA2BL

EAN Code: 5061089313325

## Main

Product name	Ultimate 62, Ultimate 60, Consort Dado, Consort Delta 105, Cableline 50 & Cableline 40
Product type	DDA compliant plate
Colour tint	Blue – RAL 5017
Quantity per set	Set of 10

## Complementary

Fixing mode	Clip on
Trunking Dimensions	185 mm x 80 mm
Material	uPVC
Number of gangs	2 gang

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.100 cm
Package 1 Width	8.500 cm
Package 1 Length	18.700 cm
Package 1 Weight	20.000 g
Unit Type of Package 2	CARTON
Number of Units in Package 2	10
Package 2 Height	2.400 cm
Package 2 Width	8.500 cm
Package 2 Length	18.700 cm
Package 2 Weight	182.500 g

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



Plate – DDA compliant – charcoal –  
2 gang

DDA2CH

EAN Code: 5061089313318

## Main

Product name	Ultimate 62, Ultimate 60, Consort Dado, Consort Delta 105, Cableline 50 & Cableline 40
Product type	DDA compliant plate
Colour tint	Charcoal Grey – BS 10-A-11
Quantity per set	Set of 10

## Complementary

Fixing mode	Clip on
Trunking Dimensions	185 mm x 80 mm
Material	uPVC
Number of gangs	2 gang

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.100 cm
Package 1 Width	8.500 cm
Package 1 Length	18.700 cm
Package 1 Weight	20.000 g
Unit Type of Package 2	CARTON
Number of Units in Package 2	10
Package 2 Height	2.400 cm
Package 2 Width	8.500 cm
Package 2 Length	18.700 cm
Package 2 Weight	182.500 g

## Contractual warranty

Warranty	12 months
----------	-----------