

# Product datasheet

Specifications



TRK – divider for trunking –  
50 mm x 1.5 m

DIV50

EAN Code: 5061089310218

## Main

Product name	TRK Maxi Trunking
Product type	Divider
Colour tint	White
Quantity per set	Set of 20 x 1.5 m (30 m)

## Complementary

Fixing mode	Self Adhesive
Trunking Dimensions	100 mm x 50 mm, 150 mm x 50 mm, 75 mm x 50 mm, 50 mm x 50 mm
Material	uPVC
Depth	50 mm

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	5.000 cm
Package 1 Length	150.000 cm
Package 1 Weight	759.900 g
Unit Type of Package 2	POLYBAG
Number of Units in Package 2	30 m
Package 2 Height	5.500 cm
Package 2 Width	26.000 cm
Package 2 Length	150.000 cm
Package 2 Weight	7.600 kg

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK – external coupler –  
50 mm x 50 mm

EXC50W

EAN Code: 5061089315220

## Main

Product name TRK Maxi Trunking

Product type External coupler

Colour tint White

Quantity per set Set of 1

## Complementary

Fixing mode Self adhesive

Trunking Dimensions 50 mm x 50 mm

Material uPVC

## Environment

Ambient air temperature for operation -5...60 °C

## Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 3.900 cm

Package 1 Width 5.200 cm

Package 1 Length 12.500 cm

Package 1 Weight 41.000 g

Unit Type of Package 2 BOX

Number of Units in Package 2 30

Package 2 Height 37.000 cm

Package 2 Width 34.000 cm

Package 2 Length 51.000 cm

Package 2 Weight 1.900 kg


## Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – external coupler –  
75 mm x 75 mm

EXC75W

EAN Code: 5061089310980

## Main

Product name TRK Maxi Trunking

Product type External coupler

Colour tint White

Quantity per set Set of 1

## Complementary

Fixing mode Self adhesive

Trunking Dimensions 50 mm x 50 mm

Material uPVC

## Environment

Ambient air temperature for operation -5...60 °C

## Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 6.300 cm

Package 1 Width 7.800 cm

Package 1 Length 20.000 cm

Package 1 Weight 98.000 g

Unit Type of Package 2 BOX

Number of Units in Package 2 26

Package 2 Height 37.000 cm

Package 2 Width 34.000 cm

Package 2 Length 51.000 cm

Package 2 Weight 3.210 kg


## Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – external coupling –  
100 mm x 100 mm

**EXC100W**

EAN Code: 5061089315268

## Main

**Product name** TRK Maxi Trunking

**Product or component type** External coupling

**Colour tint** White

**Quantity per set** Set of 1

## Complementary

**Fixing mode** Self adhesive

**Material** uPVC

**Compatible with** TRK100W

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 10.000 cm

**Package 1 Width** 10.000 cm

**Package 1 Length** 12.500 cm

**Package 1 Weight** 123.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 38.000 cm

**Package 2 Width** 51.000 cm

**Package 2 Length** 58.000 cm

**Package 2 Weight** 1.230 kg


## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – external coupling –  
150 mm x 150 mm

**EXC150W**

EAN Code: 5061089315275

## Main

**Product name** TRK Maxi Trunking

**Product or component type** External coupling

**Colour tint** White

**Quantity per set** Set of 1

## Complementary

**Fixing mode** Self adhesive

**Material** uPVC

**Compatible with** TRK100W

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 15.000 cm

**Package 1 Width** 15.000 cm

**Package 1 Length** 20.000 cm

**Package 1 Weight** 123.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 38.000 cm

**Package 2 Width** 51.000 cm

**Package 2 Length** 58.000 cm

**Package 2 Weight** 1.230 kg


## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – external coupling –  
75 mm x 50 mm

**EXC501W**

EAN Code: 5061089315237

## Main

**Product name** TRK Maxi Trunking

**Product or component type** External coupling

**Colour tint** White

**Quantity per set** Set of 1

## Complementary

**Fixing mode** Self adhesive

**Material** uPVC

**Compatible with** TRK501W

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 7.5.000 cm

**Package 1 Width** 5.000 cm

**Package 1 Length** 12.000 cm

**Package 1 Weight** 100.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 50

**Package 2 Height** 38.000 cm

**Package 2 Width** 51.000 cm

**Package 2 Length** 58.000 cm

**Package 2 Weight** 500.000 g


## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Product datasheet

Specifications



TRK – external coupling –  
100 mm x 50 mm

**EXC502W**

EAN Code: 5061089315244

## Main

**Product name** TRK Maxi Trunking

**Product or component type** External coupling

**Colour tint** White

**Quantity per set** Set of 1

## Complementary

**Fixing mode** Self adhesive

**Material** uPVC

**Compatible with** TRK501W

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 4.1000 cm

**Package 1 Width** 10.4000 cm

**Package 1 Length** 17.500 cm

**Package 1 Weight** 110.000 G

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 50

**Package 2 Height** 38.000 cm

**Package 2 Width** 51.000 cm

**Package 2 Length** 58.000 cm

**Package 2 Weight** 1.100 kg


## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – external coupling –  
150 mm x 50 mm

**EXC503W**

EAN Code: 5061089315251

## Main

**Product name** TRK Maxi Trunking

**Product or component type** External coupling

**Colour tint** White

**Quantity per set** Set of 1

## Complementary

**Fixing mode** Self adhesive

**Material** uPVC

**Compatible with** TRK503W

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 5.1000 cm

**Package 1 Width** 15.4000 cm

**Package 1 Length** 17.500 cm

**Package 1 Weight** 150.000 G

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 38.000 cm

**Package 2 Width** 51.000 cm

**Package 2 Length** 58.000 cm

**Package 2 Weight** 1.500 kg

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



## TRK trunking flat bend - 50 x 50 mm FAU50W

EAN Code: 5061089312779

### Main

Product name	TRK
Product or component type	Bend
Colour tint	White
Quantity per set	Set of 1

### Complementary

Trunking dimension	50 x 50 mm
Fixing mode	Snap-fitted
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.700 cm
Package 1 Width	11.600 cm
Package 1 Length	11.600 cm
Package 1 Weight	156.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	100
Package 2 Height	39.000 cm
Package 2 Width	51.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	16.800 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



## TRK trunking flat bend - 75 x 75 mm FAU75W

EAN Code: 5061089311079

### Main

Product name	TRK
Product or component type	Bend
Colour tint	White
Quantity per set	Set of 1

### Complementary

Trunking dimension	75 x 75 mm
Fixing mode	By coupling
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units


Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.400 cm
Package 1 Width	25.000 cm
Package 1 Length	25.000 cm
Package 1 Weight	426.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	25
Package 2 Height	39.000 cm
Package 2 Width	51.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	11.860 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



## TRK trunking flat bend - 100 x 100 mm FAU100W

EAN Code: 5061089311024

### Main

Product name	TRK
Product or component type	Bend
Colour tint	White
Quantity per set	Set of 1

### Complementary

Trunking dimension	100 x 100 mm
Fixing mode	By coupling
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	24.600 cm
Package 1 Length	24.600 cm
Package 1 Weight	602.400 g
Unit Type of Package 2	CAR
Number of Units in Package 2	15
Package 2 Height	38.000 cm
Package 2 Width	51.100 cm
Package 2 Length	58.300 cm
Package 2 Weight	10.100 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK – flat bend – 150 mm x 150mm

FAU150W

EAN Code: 5061089311031

## Main

Product name TRK Maxi Trunking

Product type Flat Bend

Colour tint White

Quantity per set Set of 1

## Complementary

Fixing mode By coupling

Trunking diemnsions 150 mm x 150 mm

Material uPVC

## Environment

Ambient air temperature for operation -5...60 °C

## Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 15.000 cm

Package 1 Width 37.000 cm

Package 1 Length 38.300 cm

Package 1 Weight 1.499 KG

Unit Type of Package 2 BOX

Number of Units in Package 2 2

Package 2 Height 38.000 cm

Package 2 Width 41.000 cm

Package 2 Length 58.000 cm

Package 2 Weight 4.040 kg

## Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Product datasheet

Specifications



## TRK - flat bend - 75 x 50 mm FAU501W

EAN Code: 5061089312830

### Main

Product name	TRK
Product or component type	Bend
Colour tint	White
Quantity per set	Set of 1

### Complementary

Trunking dimension	75 x 50 mm
Fixing mode	Snap-fitted
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.6 cm
Package 1 Width	14 cm
Package 1 Length	14 cm
Package 1 Weight	240 g
Unit Type of Package 2	CAR
Number of Units in Package 2	80
Package 2 Height	38 cm
Package 2 Width	50 cm
Package 2 Length	58 cm
Package 2 Weight	20.73 kg

### Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Product datasheet

Specifications



## TRK - flat bend - 100 x 50 mm FAU502W

\_\_\_\_\_  
EAN Code: 5061089311048  
\_\_\_\_\_

### Main

Product name	TRK
Product or component type	Bend
Colour tint	White
Quantity per set	Set of 1

### Complementary

Trunking dimension	100 x 50 mm
Fixing mode	By coupling
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	25.500 cm
Package 1 Length	25.500 cm
Package 1 Weight	520.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	30
Package 2 Height	38.000 cm
Package 2 Width	50.000 cm
Package 2 Length	58.000 cm
Package 2 Weight	16.810 kg

### Contractual warranty

Warranty	12 months
----------	-----------

---

Package 3 Weight	154.480 kg
------------------	------------

## Contractual warranty

---

Warranty	12 months
----------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium](#)

[Guide to assess a product's sustainability](#)




Transparency RoHS/REACH

## Well-being performance

 Reach Free Of Svhc

 Toxic Heavy Metal Free

 Mercury Free

 Rohs Exemption Information [Yes](#)

## Certifications & Standards

### Reach Regulation

[REACH Declaration](#)

### Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

### China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

### Environmental Disclosure

[Product Environmental Profile](#)

### Circularity Profile

No need of specific recycling operations

# Product datasheet

Specifications



TRK – flat bend – 150 mm x 50mm

FAU503W

EAN Code: 5061089311154

## Main

Product name TRK Maxi Trunking

Product type Flat Bend

Colour tint White

Quantity per set Set of 1

## Complementary

Fixing mode By coupling

Trunking diemnsions 150 mm x 50 mm

Material uPVC

## Environment

Ambient air temperature for operation -5...60 °C

## Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 5.000 cm

Package 1 Width 15.000 cm

Package 1 Length 38.300 cm

Package 1 Weight 710.000 g

Unit Type of Package 2 BOX

Number of Units in Package 2 5

Package 2 Height 27.000 cm

Package 2 Width 35.000 cm

Package 2 Length 50.000 cm

Package 2 Weight 4.080 kg

## Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



## TRK trunking flat tee - 50 x 50 mm - moulded FTU50W

EAN Code: 5061089311215

### Main

Product name	TRK
Product or component type	T-piece
Colour tint	White
Quantity per set	Set of 1

### Complementary

Fixing mode	Snap-fitted
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units


Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.800 cm
Package 1 Width	11.700 cm
Package 1 Length	17.700 cm
Package 1 Weight	200.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	80
Package 2 Height	38.500 cm
Package 2 Width	51.000 cm
Package 2 Length	58.000 cm
Package 2 Weight	17.420 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK – flat tee unit – 75 mm x 75 mm – fabricated

**FTU75W**

EAN Code: 5061089311215

## Main

**Product name** TRK Maxi Trunking

**Product or component type** Tee Unit

**Colour tint** White

**Quantity per set** Set of 1

## Complementary

**Fixing mode** By coupling

**Material** uPVC

**Compatible with** TRK75W

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 7.400 cm

**Package 1 Width** 22.600 cm

**Package 1 Length** 33.000 cm

**Package 1 Weight** 438.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 18

**Package 2 Height** 38.000 cm

**Package 2 Width** 51.000 cm

**Package 2 Length** 59.000 cm

**Package 2 Weight** 9.094 kg

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Product datasheet

Specifications



TRK – flat tee unit – 100 mm x 100 mm  
- fabricated

**FTU100W**

EAN Code: 506108931185

## Main

Product name	TRK Maxi Trunking
Product or component type	Tee Unit
Colour tint	White
Quantity per set	Set of 1

## Complementary

Fixing mode	By coupling
Material	uPVC
Compatible with	TRK100W

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	27.800 cm
Package 1 Length	38.200 cm
Package 1 Weight	770.000 g
Unit Type of Package 2	BOX
Number of Units in Package 2	9
Package 2 Height	39.000 cm
Package 2 Width	51.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	8.130 kg


## Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – flat tee unit – 150 mm x 150 mm  
- fabricated

**FTU150W**

EAN Code: 5061089311192

## Main

**Product name** TRK Maxi Trunking

**Product or component type** Tee Unit

**Colour tint** White

**Quantity per set** Set of 1

## Complementary

**Fixing mode** By coupling

**Material** uPVC

**Compatible with** TRK150W

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 15.500 cm

**Package 1 Width** 38.100 cm

**Package 1 Length** 61.000 cm

**Package 1 Weight** 2.070 kg

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 5

**Package 2 Height** 39.000 cm

**Package 2 Width** 51.000 cm

**Package 2 Length** 59.000 cm

**Package 2 Weight** 10.350 kg

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – flat tee unit – 75 mm x 50 mm -  
moulded

**FTU501W**

EAN Code: 5061089311192

## Main

**Product name** TRK Maxi Trunking

**Product or component type** Tee Unit

**Colour tint** White

**Quantity per set** Set of 1

## Complementary

**Fixing mode** By coupling

**Material** uPVC

**Compatible with** TRK501W

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 5.700 cm

**Package 1 Width** 20.000 cm

**Package 1 Length** 20.000 cm

**Package 1 Weight** 286.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 50

**Package 2 Height** 38.000 cm

**Package 2 Width** 50.000 cm

**Package 2 Length** 58.000 cm

**Package 2 Weight** 15.510 kg


## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – flat tee unit – 100 mm x 50 mm – fabricated

**FTU502W**

EAN Code: 5061089312885

## Main

Product name TRK Maxi Trunking

Product or component type Tee Unit

Colour tint White

Quantity per set Set of 1

## Complementary

Fixing mode By coupling

Material uPVC

Compatible with TRK502W

## Environment

Ambient air temperature for operation -5...60 °C

## Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 5.700 cm

Package 1 Width 25.000 cm

Package 1 Length 33.000 cm

Package 1 Weight 520.000 g

Unit Type of Package 2 BOX

Number of Units in Package 2 24

Package 2 Height 38.000 cm

Package 2 Width 51.000 cm

Package 2 Length 59.000 cm

Package 2 Weight 13.690 kg


## Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – flat tee unit – 150 mm x 50 mm – fabricated

**FTU503W**

EAN Code: 5061089311208

## Main

**Product name** TRK Maxi Trunking

**Product or component type** Tee Unit

**Colour tint** White

**Quantity per set** Set of 1

## Complementary

**Fixing mode** By coupling

**Material** uPVC

**Compatible with** TRK503W

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 5.700 cm

**Package 1 Width** 25.000 cm

**Package 1 Length** 33.000 cm

**Package 1 Weight** 520.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 5

**Package 2 Height** 38.000 cm

**Package 2 Width** 51.000 cm

**Package 2 Length** 59.000 cm

**Package 2 Weight** 13.690 kg

## Contractual warranty

**Warranty** 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications

## TRK internal corner 50 x 50 mm moulded IAU50W



EAN Code: 5061089312786

### Main

Product name	TRK
product or component type	Internal corner
Colour tint	White
Quantity per set	Set of 1

### Complementary

Fixing mode	Snap-fitted
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.700 cm
Package 1 Width	14.300 cm
Package 1 Length	14.300 cm
Package 1 Weight	197.600 g
Unit Type of Package 2	BUNDLE
Number of Units in Package 2	90
Package 2 Height	38.000 cm
Package 2 Width	51.000 cm
Package 2 Length	58.000 cm
Package 2 Weight	18.877 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK - internal corner - 75 x 75 mm -  
moulded  
IAU75W

EAN Code: 5061089312908

## Main

Product name	TRK
product or component type	Internal corner
Colour tint	White
Quantity per set	Set of 1

## Complementary

Fixing mode	Snap-fitted
material with surface finish	UPVC (unplasticized polyvinyl chloride)

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.2 cm
Package 1 Width	16.7 cm
Package 1 Length	16.7 cm
Package 1 Weight	334 g
Unit Type of Package 2	CAR
Number of Units in Package 2	50
Package 2 Height	39 cm
Package 2 Width	51 cm
Package 2 Length	59 cm
Package 2 Weight	18.19 kg

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



## TRK trunking internal corner - 100 x 100 mm fabricated IAU100W

EAN Code: 5061089311222

### Main

Product name	TRK
Product or component type	Internal corner
Colour tint	White
Quantity per set	Set of 1

### Complementary

Fixing mode	By coupling
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	27.700 cm
Package 1 Length	27.700 cm
Package 1 Weight	694.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	20
Package 2 Height	39.000 cm
Package 2 Width	51.000 cm
Package 2 Length	58.000 cm
Package 2 Weight	15.380 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK – internal corner –  
150 mm x 150 mm – fabricated

IAU150W

EAN Code: 5061089311239

## Main

Product name TRK Maxi Trunking

Product or component type Internal corner

Colour tint White

Quantity per set Set of 1

## Complementary

Fixing mode By coupling

Material uPVC

Compatible with TRK150W

## Environment

Ambient air temperature for operation -5...60 °C

## Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 15.000 cm

Package 1 Width 38.600 cm

Package 1 Length 38.000 cm

Package 1 Weight 1.488 kg

Unit Type of Package 2 BOX

Number of Units in Package 2 4

Package 2 Height 38.000 cm

Package 2 Width 51.000 cm

Package 2 Length 58.000 cm

Package 2 Weight 7.012 kg

## Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



## TRK trunking internal corner - 75 x 50 mm moulded IAU501W

EAN Code: 5061089312847

### Main

Product name	TRK
Product or component type	Internal corner
Colour tint	White
Quantity per set	Set of 1

### Complementary

Fixing mode	Snap-fitted
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.000 cm
Package 1 Width	14.000 cm
Package 1 Length	14.000 cm
Package 1 Weight	267.000 g
Unit Type of Package 2	PAM
Number of Units in Package 2	400
Package 2 Height	96.500 cm
Package 2 Width	120.000 cm
Package 2 Length	100.000 cm
Package 2 Weight	126.800 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



## TRK trunking internal corner - 100 x 50 mm fabricated IAU502W

EAN Code: 5061089311246

### Main

Product name	TRK
Product or component type	Internal corner
Colour tint	White
Quantity per set	Set of 1

### Complementary

Fixing mode	By coupling
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	25.000 cm
Package 1 Length	25.000 cm
Package 1 Weight	515.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	22
Package 2 Height	39.000 cm
Package 2 Width	51.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	12.540 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK – internal corner –  
150 mm x 50 mm – fabricated

IAU503W

EAN Code: 5061089311253

## Main

Product name TRK Maxi Trunking

Product or component type Internal corner

Colour tint White

Quantity per set Set of 1

## Complementary

Fixing mode By coupling

Material uPVC

Compatible with TRK503W

## Environment

Ambient air temperature for operation -5...60 °C

## Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 15.000 cm

Package 1 Width 25.100 cm

Package 1 Length 25.100 cm

Package 1 Weight 750.000 g

Unit Type of Package 2 BOX

Number of Units in Package 2 14

Package 2 Height 38.000 cm

Package 2 Width 51.000 cm

Package 2 Length 58.000 cm

Package 2 Weight 11.700 kg

## Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Maxi Trunking – 50 mm x 50 mm -  
3 m length

**TRK50W**

EAN Code: 5061089310706

## Main

Product name	TRK Maxi Trunking
Product or component type	Installation Trunking
Colour tint	White
Quantity per set	Set of 6 (18 m)

## Complementary

Length	3 m
Fixing mode	Screw fixed
Material	uPVC
Dimensions	50 mm x 50 mm

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.200 cm
Package 1 Width	5.200 cm
Package 1 Length	300.000 cm
Package 1 Weight	2.100 kg
Unit Type of Package 2	POLYBAG
Number of Units in Package 2	6 (18 m)
Package 2 Height	10.400 cm
Package 2 Width	15.500 cm
Package 2 Length	300.0000 cm
Package 2 Weight	12.600 kg

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



Maxi Trunking – 75 mm x 75 mm -  
3 m length

**TRK75W**

EAN Code: 5061089310720

## Main

Product name	TRK Maxi Trunking
Product or component type	Installation Trunking
Colour tint	White
Quantity per set	Set of 4 (12 m)

## Complementary

Length	3 m
Fixing mode	Screw fixed
Material	uPVC
Dimensions	75 mm x 75 mm

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.500 cm
Package 1 Width	7.500 cm
Package 1 Length	300.000 cm
Package 1 Weight	3.069 kg
Unit Type of Package 2	POLYBAG
Number of Units in Package 2	4 (12 m)
Package 2 Height	15.200 cm
Package 2 Width	15.200 cm
Package 2 Length	300.0000 cm
Package 2 Weight	12.276 kg

## Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Maxi Trunking – 100 mm x 100 mm -  
3 m length

**TRK100W**

EAN Code: 5061089310652

## Main

Product name	TRK Maxi Trunking
Product or component type	Installation Trunking
Colour tint	White
Quantity per set	Set of 2 (6 m)

## Complementary

Length	3 m
Fixing mode	Screw fixed
Material	uPVC
Dimensions	100 mm x 100 mm

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	10.000 cm
Package 1 Length	300.000 cm
Package 1 Weight	4.980 kg
Unit Type of Package 2	POLYBAG
Number of Units in Package 2	2 (6 m)
Package 2 Height	10.000 cm
Package 2 Width	20.000 cm
Package 2 Length	300.0000 cm
Package 2 Weight	9.960 kg

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



Maxi Trunking – 150 mm x 150 mm -  
3 m length

**TRK150W**

EAN Code: 5061089310669

## Main

Product name	TRK Maxi Trunking
Product or component type	Installation Trunking
Colour tint	White
Quantity per set	Set of 1 (3 m)

## Complementary

Length	3 m
Fixing mode	Screw fixed
Material	uPVC
Dimensions	150 mm x 150 mm

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.000 cm
Package 1 Width	15.000 cm
Package 1 Length	300.000 cm
Package 1 Weight	8.430 kg
Unit Type of Package 2	POLYBAG
Number of Units in Package 2	1 (3 m)
Package 2 Height	15.000 cm
Package 2 Width	15.000 cm
Package 2 Length	300.0000 cm
Package 2 Weight	8.430 kg

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



Maxi Trunking – 75 mm x 50 mm -  
3 m length

**TRK501W**

EAN Code: 5061089310676

## Main

Product name	TRK Maxi Trunking
Product or component type	Installation Trunking
Colour tint	White
Quantity per set	Set of 4 (12 m)

## Complementary

Length	3 m
Fixing mode	Screw fixed
Material	uPVC
Dimensions	75 mm x 150 mm

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.200 cm
Package 1 Width	7.500 cm
Package 1 Length	300.000 cm
Package 1 Weight	3.210 kg
Unit Type of Package 2	POLYBAG
Number of Units in Package 2	4 (12 m)
Package 2 Height	10.400 cm
Package 2 Width	15.000 cm
Package 2 Length	300.0000 cm
Package 2 Weight	12.840 kg

## Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Maxi Trunking – 100 mm x 50 mm -  
3 m length

**TRK502W**

EAN Code: 5061089310683

## Main

Product name	TRK Maxi Trunking
Product or component type	Installation Trunking
Colour tint	White
Quantity per set	Set of 4 (12 m)

## Complementary

Length	3 m
Fixing mode	Screw fixed
Material	uPVC
Dimensions	100 mm x 150 mm

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.200 cm
Package 1 Width	10.000 cm
Package 1 Length	300.000 cm
Package 1 Weight	3.804 kg
Unit Type of Package 2	POLYBAG
Number of Units in Package 2	4 (12 m)
Package 2 Height	10.400 cm
Package 2 Width	20.500 cm
Package 2 Length	300.0000 cm
Package 2 Weight	15.220 kg

## Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



Maxi Trunking – 150 mm x 50 mm -  
3 m length

**TRK503W**

EAN Code: 5061089310690

## Main

Product name	TRK Maxi Trunking
Product or component type	Installation Trunking
Colour tint	White
Quantity per set	Set of 2 (6 m)

## Complementary

Length	3 m
Fixing mode	Screw fixed
Material	uPVC
Dimensions	150 mm x 50 mm

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.200 cm
Package 1 Width	15.000 cm
Package 1 Length	300.000 cm
Package 1 Weight	5.100 kg
Unit Type of Package 2	POLYBAG
Number of Units in Package 2	2 (6 m)
Package 2 Height	10.400 cm
Package 2 Width	30.500 cm
Package 2 Length	300.0000 cm
Package 2 Weight	10.200 kg

## Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – Maxi Trunking – Stop End  
50 mm x 50 mm - white

**TSE50W**

EAN Code: 5061089312762

## Main

Product or component type	Stop end
Colour tint	White
Quantity per set	Set of 5

## Complementary

Dimensions	50 mm x 50 mm
Fixing mode	Snap-fit
Material with surface finish	UPVC (unplasticized polyvinyl chloride)

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.600 cm
Package 1 Width	5.000 cm
Package 1 Length	5.000 cm
Package 1 Weight	12.000 g
Unit Type of Package 2	BOX
Number of Units in Package 2	5
Package 2 Height	5.000 cm
Package 2 Width	8.000 cm
Package 2 Length	11.000 cm
Package 2 Weight	58.700 g

## Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK – Maxi Trunking – Stop End  
75 mm x 75 mm - white

**TSE75W**

EAN Code: 5061089312892

## Main

Product or component type	Stop end
Colour tint	White
Quantity per set	Set of 5

## Complementary

Dimensions	75 mm x 75 mm
Fixing mode	Snap-fit
Material with surface finish	UPVC (unplasticized polyvinyl chloride)

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.300 cm
Package 1 Width	7.200 cm
Package 1 Length	7.200 cm
Package 1 Weight	20.000 g
Unit Type of Package 2	BOX
Number of Units in Package 2	5
Package 2 Height	5.500 cm
Package 2 Width	10.000 cm
Package 2 Length	15.000 cm
Package 2 Weight	104.000 g

## Contractual warranty

Warranty	12 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK Maxi trunking – stop end –  
100 mm x 100 mm

TSE100W

EAN Code: 5061089315923

## Main

Product name	Maxi trunking
Product type	Stop end
Colour tint	White
Quantity per set	Set of 1

## Complementary

Trunking Dimensions	100 mm x 100 mm
Fixing mode	By coupling
Material	uPVC
Compatible with	TRK100W

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	10.000 cm
Package 1 Length	10.000 cm
Package 1 Weight	39.000 g
Unit Type of Package 2	BOX
Number of Units in Package 2	100
Package 2 Height	39.000 cm
Package 2 Width	51.000 cm
Package 2 Length	58.000 cm
Package 2 Weight	5.020 kg

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK Maxi trunking – stop end –  
150 mm x 150 mm

TSE150W

EAN Code: 5061089311543

## Main

Product name	Maxi trunking
Product type	Stop end
Colour tint	White
Quantity per set	Set of 1

## Complementary

Trunking Dimensions	150 mm x 150 mm
Fixing mode	By coupling
Material	uPVC
Compatible with	TRK150W

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.600 cm
Package 1 Width	15.000 cm
Package 1 Length	15.000 cm
Package 1 Weight	152.400 g
Unit Type of Package 2	BOX
Number of Units in Package 2	50
Package 2 Height	39.000 cm
Package 2 Width	51.000 cm
Package 2 Length	58.000 cm
Package 2 Weight	8.672 kg

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK Maxi trunking – stop end –  
75 mm x 50 mm

TSE501W

EAN Code: 5061089312823

## Main

Product name	Maxi trunking
Product type	Stop end
Colour tint	White
Quantity per set	Set of 5

## Complementary

Trunking Dimensions	75 mm x 50 mm
Fixing mode	By coupling
Material	uPVC
Compatible with	TRK501W

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	5.000 cm
Package 1 Length	7.300 cm
Package 1 Weight	15.000 g
Unit Type of Package 2	POLYBAG
Number of Units in Package 2	5
Package 2 Height	6.0000 cm
Package 2 Width	8.500 cm
Package 2 Length	12.000 cm
Package 2 Weight	76.000 g

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK Maxi trunking – stop end –  
100 mm x 50 mm

TSE502W

EAN Code: 5061089312878

## Main

Product name	Maxi trunking
Product type	Stop end
Colour tint	White
Quantity per set	Set of 5

## Complementary

Trunking Dimensions	100 mm x 50 mm
Fixing mode	By coupling
Material	uPVC
Compatible with	TRK502W

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	12.000 cm
Package 1 Length	12.000 cm
Package 1 Weight	19.000 g
Unit Type of Package 2	POLYBAG
Number of Units in Package 2	5
Package 2 Height	6.0000 cm
Package 2 Width	12.0000 cm
Package 2 Length	12.000 cm
Package 2 Weight	91.000 g

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



## TRK trunking external corner - 50 x 50 mm moulded XAU50W

EAN Code: 5061089312793

### Main

Product name	TRK
Product or component type	External corner
Colour tint	White
Quantity per set	Set of 1

### Complementary

Fixing mode	Snap-fitted
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.500 cm
Package 1 Width	14.000 cm
Package 1 Length	14.000 cm
Package 1 Weight	196.600 g
Unit Type of Package 2	CAR
Number of Units in Package 2	90
Package 2 Height	39.000 cm
Package 2 Width	51.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	18.760 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



## TRK trunking external corner - 75 x 75 mm moulded XAU75W

EAN Code: 5061089312915

### Main

Product name	TRK
Product or component type	External corner
Colour tint	White
Quantity per set	Set of 1

### Complementary

Fixing mode	Snap-fitted
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.000 cm
Package 1 Width	14.000 cm
Package 1 Length	14.000 cm
Package 1 Weight	284.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	60
Package 2 Height	38.000 cm
Package 2 Width	51.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	18.250 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK trunking external corner - 100 x 100 mm  
fabricated  
XAU100W

EAN Code: 3606480495847

## Main

Product name	TRK
Product or component type	External corner
Colour tint	White
Quantity per set	Set of 1

## Complementary

Fixing mode	By coupling
material with surface finish	UPVC (unplasticized polyvinyl chloride)

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	27.000 cm
Package 1 Length	27.000 cm
Package 1 Weight	660.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	14
Package 2 Height	38.000 cm
Package 2 Width	50.000 cm
Package 2 Length	58.000 cm
Package 2 Weight	10.450 kg

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK – external corner –  
150 mm x 150 mm – fabricated

**XAU150W**

EAN Code: 5061089311574

## Main

Product name TRK Maxi Trunking

Product or component type External corner

Colour tint White

Quantity per set Set of 1

## Complementary

Fixing mode By coupling

Material uPVC

Compatible with TRK150W

## Environment

Ambient air temperature for operation -5...60 °C

## Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 15.000 cm

Package 1 Width 38.000 cm

Package 1 Length 38.000 cm

Package 1 Weight 1.496 kg

Unit Type of Package 2 BOX

Number of Units in Package 2 4

Package 2 Height 38.000 cm

Package 2 Width 51.000 cm

Package 2 Length 58.000 cm

Package 2 Weight 7.924 kg

## Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

# Product datasheet

Specifications



TRK trunking external corner - 75 x 50 mm  
moulded

**XAU501W**

EAN Code: 5061089312854

## Main

Product name	TRK
Product or component type	External corner
Colour tint	White
Quantity per set	Set of 1

## Complementary

Fixing mode	Snap-fitted
material with surface finish	UPVC (unplasticized polyvinyl chloride)

## Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.000 cm
Package 1 Width	14.200 cm
Package 1 Length	14.000 cm
Package 1 Weight	264.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	52
Package 2 Height	39.000 cm
Package 2 Width	41.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	14.710 kg

## Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



## TRK trunking external corner - 100 x 50 mm fabricated XAU502W

EAN Code: 3606480495878

### Main

Product name	TRK
Product or component type	External corner
Colour tint	White
Quantity per set	Set of 1

### Complementary

Fixing mode	By coupling
material with surface finish	UPVC (unplasticized polyvinyl chloride)

### Environment

Ambient air temperature for operation	-5...60 °C
---------------------------------------	------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	25.000 cm
Package 1 Length	25.000 cm
Package 1 Weight	520.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	25
Package 2 Height	38.000 cm
Package 2 Width	50.000 cm
Package 2 Length	58.000 cm
Package 2 Weight	14.210 kg

### Contractual warranty

Warranty	12 months
----------	-----------

# Product datasheet

Specifications



TRK – external corner –  
150 mm x 50 mm – fabricated

**XAU503W**

EAN Code: 5061089311598

## Main

**Product name** TRK Maxi Trunking

**Product or component type** External corner

**Colour tint** White

**Quantity per set** Set of 1

## Complementary

**Fixing mode** By coupling

**Material** uPVC

**Compatible with** TRK503W

## Environment

**Ambient air temperature for operation** -5...60 °C

## Packing Units

**Unit Type of Package 1** PCE

**Number of Units in Package 1** 1

**Package 1 Height** 15.000 cm

**Package 1 Width** 25.5.000 cm

**Package 1 Length** 25.5.000 cm

**Package 1 Weight** 796.000 g

**Unit Type of Package 2** BOX

**Number of Units in Package 2** 10

**Package 2 Height** 38.000 cm

**Package 2 Width** 51.000 cm

**Package 2 Length** 58.000 cm

**Package 2 Weight** 7.960 kg

## Contractual warranty

**Warranty** 12 months