

Product datasheet

Specifications



bench - end cap - 100 x 100mm CVS101W

EAN Code: 5061089314537

Main

| | |
|---------------------------|----------|
| Product or component type | End cap |
| Colour tint | White |
| Quantity per set | Set of 2 |

Complementary

| | |
|------------------------------|---|
| Trunking dimension | 100 x 100 mm |
| material with surface finish | UPVC (unplasticized polyvinyl chloride) |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 1.100 cm |
| Package 1 Width | 10.200 cm |
| Package 1 Length | 10.200 cm |
| Package 1 Weight | 28.000 g |
| Unit Type of Package 2 | Bag |
| Number of Units in Package 2 | 2 |
| Package 2 Height | 1.400 cm |
| Package 2 Width | 10.300 cm |
| Package 2 Length | 10.500 cm |
| Package 2 Weight | 54.700 g |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product datasheet

Specifications



bench - joint cover piece - 100 x 100mm CVJ101W

EAN Code: 5061089312984

Main

| | |
|---------------------------|-------------------|
| Product or component type | Joint cover piece |
| Colour tint | White |
| Quantity per set | Set of 2 |

Complementary

| | |
|------------------------------|---|
| material with surface finish | UPVC (unplasticized polyvinyl chloride) |
|------------------------------|---|

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 1.200 cm |
| Package 1 Width | 10.200 cm |
| Package 1 Length | 10.200 cm |
| Package 1 Weight | 15.000 g |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 2 |
| Package 2 Height | 2.400 cm |
| Package 2 Width | 10.200 cm |
| Package 2 Length | 10.200 cm |
| Package 2 Weight | 31.000 g |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product datasheet

Specifications



Bench – internal corner – 100mm x 100 mm

CVI101W

EAN Code: 5061089315930

Main

| | |
|---------------------------|--------------------------------|
| Product name | Bench Trunking |
| Product or component type | Internal corner |
| Colour tint | Satin Anodised Aluminium/White |
| Quantity per set | Set of 1 |

Complementary

| | |
|--------------------|------------------------------------|
| Device Composition | uPVC White Lid with Aluminium Base |
| Fixing mode | Joint Cover |

Environment

| | |
|---------------------------------------|------------|
| Ambient air temperature for operation | -5...60 °C |
|---------------------------------------|------------|

Packing Units

| | |
|------------------------------|------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 10.000 cm |
| Package 1 Width | 15.100 cm |
| Package 1 Length | 15.100 cm |
| Package 1 Weight | 490.000 g |
| Unit Type of Package 2 | BOX |
| Number of Units in Package 2 | 5 |
| Package 2 Height | 15.000 cm |
| Package 2 Width | 45.000 cm |
| Package 2 Length | 45.0000 cm |
| Package 2 Weight | 2.450 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Product datasheet

Specifications



Bench – external corner – 100mm x
100 mm

CVE101W

EAN Code: 5061089315947

Main

| | |
|---------------------------|--------------------------------|
| Product name | Bench Trunking |
| Product or component type | External corner |
| Colour tint | Satin Anodised Aluminium/White |
| Quantity per set | Set of 1 |

Complementary

| | |
|--------------------|------------------------------------|
| Device Composition | uPVC White Lid with Aluminium Base |
| Fixing mode | Joint Cover |

Environment

| | |
|---------------------------------------|------------|
| Ambient air temperature for operation | -5...60 °C |
|---------------------------------------|------------|

Packing Units

| | |
|------------------------------|------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 10.000 cm |
| Package 1 Width | 15.100 cm |
| Package 1 Length | 15.100 cm |
| Package 1 Weight | 490.000 g |
| Unit Type of Package 2 | BOX |
| Number of Units in Package 2 | 5 |
| Package 2 Height | 15.000 cm |
| Package 2 Width | 45.000 cm |
| Package 2 Length | 45.0000 cm |
| Package 2 Weight | 2.450 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

Product datasheet

Specifications



Bench trunking unit – 1 gang and 2 gang

CVBU3W

EAN Code: 5061089315015

Main

| | |
|---------------------------|--------------------------------|
| Product name | Bench Trunking |
| Product or component type | Bench Unit |
| Colour tint | Satin Anodised Aluminium/White |
| Quantity per set | Set of 1 |

Complementary

| | |
|--------------------|------------------------------------|
| Device Composition | uPVC White Lid with Aluminium Base |
| No. of gangs | 1 gang and 2 gang mounting |
| Front opening size | 87 mm |
| Dimensions | 304 mm x 100 mm x 100 mm |

Environment

| | |
|---------------------------------------|------------|
| Ambient air temperature for operation | -5...60 °C |
|---------------------------------------|------------|

Packing Units

| | |
|------------------------------|-------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 10.000 cm |
| Package 1 Width | 10.000 cm |
| Package 1 Length | 30.400 cm |
| Package 1 Weight | 690.000 g |
| Unit Type of Package 2 | BOX |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 22.000 cm |
| Package 2 Width | 22.000 cm |
| Package 2 Length | 508.0000 cm |
| Package 2 Weight | 6.900 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Product datasheet

Specifications



bench trunking unit - 2 gang CVBU2W

EAN Code: 5061089310768

Main

| | |
|---------------------------|--------------------|
| Product or component type | Bench trunking |
| Device presentation | Empty |
| Colour tint | Satin silver/white |
| Quantity per set | Set of 1 |

Complementary

| | |
|-----------------------|--|
| Device composition | base uPVC (unplasticized polyvinyl chloride) white lid uPVC (unplasticized polyvinyl chloride) white end cap |
| Trunking dimension | 100 x 100 mm |
| Front opening size | 87 mm |
| Fixing mode | Screw-fixed |
| Material | Aluminium anodized UPVC (unplasticized polyvinyl chloride) |
| Number of gangs | 2 gangs |
| Product compatibility | conforming to BS wiring device |
| Length | 200 mm |
| Height | 100 mm |
| Width | 100 mm |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 12.000 cm |
| Package 1 Width | 12.000 cm |
| Package 1 Length | 23.000 cm |
| Package 1 Weight | 597.000 g |
| Unit Type of Package 2 | CAR |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 23.800 cm |
| Package 2 Width | 30.000 cm |
| Package 2 Length | 41.500 cm |
| Package 2 Weight | 6.370 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Product datasheet

Specifications



Bench trunking unit – 1 gang

CVBU1W

EAN Code: 5061089315008

Main

| | |
|---------------------------|--------------------------------|
| Product name | Bench Trunking |
| Product or component type | Bench Unit |
| Colour tint | Satin Anodised Aluminium/White |
| Quantity per set | Set of 1 |

Complementary

| | |
|--------------------|------------------------------------|
| Device Composition | uPVC White Lid with Aluminium Base |
| No. of gangs | 1 gang |
| Front opening size | 87 mm |
| Dimensions | 140 mm x 100 mm x 100 mm |

Environment

| | |
|---------------------------------------|------------|
| Ambient air temperature for operation | -5...60 °C |
|---------------------------------------|------------|

Packing Units

| | |
|------------------------------|------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 10.000 cm |
| Package 1 Width | 10.000 cm |
| Package 1 Length | 14.000 cm |
| Package 1 Weight | 490.000 g |
| Unit Type of Package 2 | BOX |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 22.000 cm |
| Package 2 Width | 22.000 cm |
| Package 2 Length | 30.0000 cm |
| Package 2 Weight | 4.900 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Product datasheet

Specifications



bench trunking - aluminium/UPVC - 100 x 100 mm - 2m CV101W

EAN Code:5061089310751

Main

| | |
|---------------------------|--------------------|
| Product or component type | Bench trunking |
| Device presentation | Assembly |
| Colour tint | Satin silver/white |
| Quantity per set | Set of 2 |

Complementary

| | |
|-----------------------|---|
| Device composition | uPVC (unplasticized polyvinyl chloride) white lid aluminium base |
| Trunking dimension | 100 x 100 mm |
| Front opening size | 87 mm |
| Fixing mode | Screw-fixed |
| Material | Aluminium anodized UPVC (unplasticized polyvinyl chloride) white |
| Product compatibility | 25 mm mounting boxes 35 mm mounting boxes |
| Length | 2000 mm |
| Height | 100 mm |
| Width | 100 mm |

Environment

| | |
|-----------|-----------|
| Standards | BS 4678-4 |
|-----------|-----------|

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 10 cm |
| Package 1 Width | 10 cm |
| Package 1 Length | 100 cm |
| Package 1 Weight | 2.745 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Product datasheet

Specifications



Mounting frame with BS fixing centres – 2 gang

ATMP2W

EAN Code: 5061089316012

Main

Product name Bench Trunking

Product or component type Mounting frame

Colour tint White

Quantity per set Set of 10

Complementary

No. Gangs 2 gang

Fixing mode Screw fixing

Material uPVC

Environment

Ambient air temperature for operation -5...60 °C

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 0.1500 cm

Package 1 Width 0.140 cm

Package 1 Length 0.8700 cm

Package 1 Weight 1.500 g

Unit Type of Package 2 BOX

Number of Units in Package 2 10

Package 2 Height 1.500 cm

Package 2 Width 14.200 cm

Package 2 Length 8.7000 cm

Package 2 Weight 15.000 g

Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

Product datasheet

Specifications



Mounting frame with BS fixing centres – 1 gang

ATMP1W

EAN Code: 5061089316005

Main

Product name Bench Trunking

Product or component type Mounting frame

Colour tint White

Quantity per set Set of 15

Complementary

No. Gangs 1 gang

Fixing mode Screw fixing

Material uPVC

Environment

Ambient air temperature for operation -5...60 °C

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 0.100 cm

Package 1 Width 0.100 cm

Package 1 Length 0.100 cm

Package 1 Weight 1.000 g

Unit Type of Package 2 BOX

Number of Units in Package 2 15

Package 2 Height 18.000 cm

Package 2 Width 23.500 cm

Package 2 Length 18.000 cm

Package 2 Weight 15.000 g

Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

Product datasheet

Specifications



Mounting frame for 2 x 45 mm x 45 mm
accessory – 2 gang

ATMF451W

EAN Code: 5061089316029

Main

Product name Cableline, Ultimate. Consort

Product or component type Mounting frame

Colour tint White

Quantity per set Set of 10

Complementary

No. Gangs 2 gang

Product destination 2 x Wiring device 45 mm x 45 mm

Fixing mode Clip in

Material uPVC

Environment

Ambient air temperature for operation -5...60 °C

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 1.500 cm

Package 1 Width 14.200 cm

Package 1 Length 8.700 cm

Package 1 Weight 24.000 g

Unit Type of Package 2 BOX

Number of Units in Package 2 10

Package 2 Height 18.000 cm

Package 2 Width 23.500 cm

Package 2 Length 18.000 cm

Package 2 Weight 240.000 g

Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

Product datasheet

Specifications



Mounting frame for 45 mm x 45 mm
accessory – 1 gang

ATMF451W

EAN Code: 5061089316029

Main

Product name Cableline, Ultimate. Consort

Product or component type Mounting frame

Colour tint White

Quantity per set Set of 15

Complementary

No. Gangs 1 gang

Product destination Wiring device 45 mm x 45 mm

Fixing mode Clip in

Material uPVC

Environment

Ambient air temperature for operation -5...60 °C

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 1.500 cm

Package 1 Width 8.000 cm

Package 1 Length 8.700 cm

Package 1 Weight 20.000 g

Unit Type of Package 2 BOX

Number of Units in Package 2 15

Package 2 Height 11.000 cm

Package 2 Width 19.000 cm

Package 2 Length 22.000 cm

Package 2 Weight 300.000 g

Contractual warranty

Warranty 12 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

Product datasheet

Specifications



MCB/RCD Housing for Bench Trunking ATH100W

EAN Code: 5061089315961

Main

| | |
|---------------------------|------------------------------------|
| Product or component type | MCB/RCD Housing for Bench Trunking |
| Colour tint | White |
| Quantity per set | Set of 1 |

Complementary

| | |
|------------------------------|---|
| Device composition | Housing unit with DIN rail |
| material with surface finish | UPVC (unplasticized polyvinyl chloride) |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 11.000 cm |
| Package 1 Width | 19.000 cm |
| Package 1 Length | 23.000 cm |
| Package 1 Weight | 165.000 g |
| Unit Type of Package 2 | Box |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 11.500 cm |
| Package 2 Width | 11.500 cm |
| Package 2 Length | 10.000 cm |
| Package 2 Weight | 1.650 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product datasheet

Specifications



Divider for bench trunking – 100 mm - 2 m ATD60W

EAN Code: 5061089315954

Main

| | |
|---------------------------|----------------------------|
| Product or component type | Divider for bench trunking |
| Colour tint | White |
| Quantity per set | Set of 10 x 2m |

Complementary

| | |
|------------------------------|---|
| Dimensions | 100 mm deep |
| material with surface finish | UPVC (unplasticized polyvinyl chloride) |

Packing Units

| | |
|------------------------------|------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 0.900 cm |
| Package 1 Width | 5.300 cm |
| Package 1 Length | 100.000 cm |
| Package 1 Weight | 130.000 g |
| Unit Type of Package 2 | POLYBAG |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 2.700 cm |
| Package 2 Width | 16.500 cm |
| Package 2 Length | 100.000 cm |
| Package 2 Weight | 2.6000 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product datasheet

Specifications



Mounting box – 1 gang - 35 mm deep ATB3514W

EAN Code: 5061089315985

Main

| | |
|---------------------------|-----------------------|
| Product or component type | Mounting Box – 1 gang |
| Colour tint | White |
| Quantity per set | Set of 10 |

Complementary

| | |
|------------------------------|---|
| Dimensions | 35mm deep |
| material with surface finish | UPVC (unplasticized polyvinyl chloride) |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 3.600 cm |
| Package 1 Width | 8.200 cm |
| Package 1 Length | 8.700 cm |
| Package 1 Weight | 48.000 g |
| Unit Type of Package 2 | BOX |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 11.000 cm |
| Package 2 Width | 19.000 cm |
| Package 2 Length | 23.000 cm |
| Package 2 Weight | 566.000 g |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product datasheet

Specifications



Mounting box – 1 gang - 25 mm deep ATB2514W

EAN Code: 5061089315978

Main

| | |
|---------------------------|-----------------------|
| Product or component type | Mounting Box – 1 gang |
| Colour tint | White |
| Quantity per set | Set of 10 |

Complementary

| | |
|------------------------------|---|
| Dimensions | 25mm deep |
| material with surface finish | UPVC (unplasticized polyvinyl chloride) |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 7.830 cm |
| Package 1 Width | 7.830 cm |
| Package 1 Length | 7.830 cm |
| Package 1 Weight | 46.000 g |
| Unit Type of Package 2 | BOX |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 11.000 cm |
| Package 2 Width | 19.000 cm |
| Package 2 Length | 23.000 cm |
| Package 2 Weight | 458.000 g |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product datasheet

Specifications



Mounting box – 2 gang - 35 mm deep ATB352W

EAN Code: 5061089315992

Main

| | |
|---------------------------|-----------------------|
| Product or component type | Mounting Box – 2 gang |
| Colour tint | White |
| Quantity per set | Set of 10 |

Complementary

| | |
|------------------------------|---|
| Dimensions | 35mm deep |
| material with surface finish | UPVC (unplasticized polyvinyl chloride) |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 3.700 cm |
| Package 1 Width | 8.600 cm |
| Package 1 Length | 14.100 cm |
| Package 1 Weight | 73.000 g |
| Unit Type of Package 2 | BOX |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 18.300 cm |
| Package 2 Width | 23.500 cm |
| Package 2 Length | 18.000 cm |
| Package 2 Weight | 835.000 g |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 12 months |
|----------|-----------|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications